

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3563	(709/231,232).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:10
S2	999	((mobile near (phone or device)) or PDA or "personal digital assistant") same (shar\$4) with (content or data or video or audio or multi\$media) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:34
S3	3	((mobile near (phone or device)) or PDA or "personal digital assistant") same (shar\$4) with (content or data or video or audio or multi\$media) same (user) near3 fill\$4 with form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:46
S4	4	((("20020155844") or ("20040203673")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:45
S5	7	((mobile near (phone or device)) or PDA or "personal digital assistant") same (shar\$4) with (content or data or video or audio or multi\$media) and (user) near3 fill\$4 with form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:47
S6	4	S5 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:46
S7	0	("2005/0266835").URFN.	USPAT	OR	OFF	2007/09/25 13:47
S8	227	((mobile near (phone or device)) or PDA or "personal digital assistant") same (shar\$4) with (content or data or video or audio or multi\$media).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:48

S9	8	((mobile near (phone or device)) or PDA or "personal digital assistant") same (shar\$4) with (content or data or video or audio or multi\$media)).ab,ti. and SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:49
S10	6	S9 not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:05
S11	0	S1 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:05
S12	13	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:49
S13	10	shar\$4 with (web\$page or web\$site) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:54
S14	509	{shar\$4 or access\$4) with (web\$page or web\$site) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:55
S15	2	{(access\$4 and shar\$4) with (web\$page or web\$site) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:55
S16	569	{(access\$4 or send\$4) with (web\$page or web\$site) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:56
S17	10	{(access\$4 or send\$4) with (web\$page or web\$site) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and (web\$page or web\$site) with (contain or have) with link and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:58

S18	0	{access\$4 or send\$4} with shar\$4 with (web\$page or web\$site) same (web\$page or web\$site) with (contain or have) with link and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:58
S19	25950853	{forward\$4} with (web\$page or web\$site) with (other or another) near3 user @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:59
S20	0	{forward\$4} with (web\$page or web\$site) with (other or another) near3 user and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:59
S21	0	{web\$page or web\$site) with link same (option) same shar\$4 with (other or another) near3 user and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:00
S22	0	{web\$page or web\$site) with link same (option) same shar\$4 same (other or another) near3 user and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:01
S23	24	{forward\$4 or send\$4} with (web\$page or web\$site) with SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:05
S24	3	{shar\$4} with(web\$page or web\$site) with SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:05
S25	578	{shar\$4} with (web\$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:05
S26	75	((shar\$4) with (web\$page or web\$site)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:34

S27	3914	((shar\$4 or send\$4 or transmit \$4) with (web\$page or web \$site)) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:35
S28	1308	((shar\$4 or send\$4 or transmit \$4) with (web\$page or web \$site)) and ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:36
S29	237	((shar\$4 or send\$4 or transmit \$4) with (web\$page or web \$site)) same((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:36
S30	99	((shar\$4 or send\$4 or transmit \$4) with (web\$page or web \$site)) with ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:37
S31	17	((shar\$4 or send\$4 or transmit \$4) with (web\$page or web \$site)) with ((mobile near (phone or device)) or PDA or "personal digital assistant") and SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:37
S32	22	((shar\$4 or send\$4 or transmit \$4) near2 (web\$page or web \$site)) with ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:42
S33	22	S32 not "I23"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:38
S34	24	(forward\$4 or send\$4) with (web \$page or web\$site) with SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:38
S35	20	S32 not S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:38

S36	0	((shar\$4 or send\$4 or transmit \$4) near2 (web\$page or web \$site)) with (request\$4) near3 form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:42
S37	0	((shar\$4 or send\$4 or transmit \$4) near2 (web\$page or web \$site)) with (request\$4) near3 form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:42
S38	32	((shar\$4 or send\$4 or transmit \$4) near2 (web\$page or web \$site)) same (request\$4) with form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:00
S39	32	S38 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:43
S40	0	SMS with includ\$4 with (web \$page or web\$site) same (request\$4) with form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:01
S41	1	SMS same includ\$4 same (web \$page or web\$site) same (request\$4) with form and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:01
S42	94	SMS same includ\$4 same (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:02
S43	21	SMS with includ\$4 with (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:05
S44	0	(web\$page or web\$site) with option with (send\$4 or transmit \$4) same (another or other) with user same email and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:06

S45	0	(web\$page or web\$site) with option with (send\$4 or transmit \$4) same (another or other) with user same e\$mail and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:08
S46	9	(web\$page or web\$site) with option with (send\$4 or transmit \$4) with user same e\$mail and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:09
S47	312	(web\$page or web\$site) with (send\$4 or transmit\$4) with user same e\$mail and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:42
S48	63	(web\$page or web\$site) with option with (e\$mail or "electronic mail") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:44
S49	42	(web\$page or web\$site) with mail with option with (e\$mail or "electronic mail") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:47
S50	21	S48 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:50
S51	7	taskbar with (e\$mail or "electronic mail") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:53
S52	0	taskbar with (e\$mail or "electronic mail") with (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:53
S53	35	taskbar same (e\$mail or "electronic mail") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:53

S54	3	taskbar same (e\$mail or "electronic mail") with (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:53
S55	3	taskbar same (e\$mail or "electronic mail") same (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:54
S56	3	task\$bar same (e\$mail or "electronic mail") same (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:54
S57	488	(e\$mail\$4 or "electronic mail") with link same (web\$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:55
S58	106	(e\$mail\$4 or "electronic mail") near2 link with (web\$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:57
S59	7	((e\$mail\$4 or "electronic mail") near2 link with (web\$page or web\$site)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:56
S60	2	(e\$mail\$4 or "electronic mail") near2 link with (web\$page or web\$site) and task\$bar and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:59
S61	0	(e\$mail\$4 or "electronic mail") near2 link with (web\$page or web\$site) and Microsoft.as. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:41
S62	34	(e\$mail\$4 or "electronic mail") near2 link with (web\$page or web\$site) and Microsoft and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:44

S63	568	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:44
S64	172	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:50
S65	3	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS).ab.ti. and receiver with (address or "phone number") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:46
S66	20	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS) and receiver with (address or "phone number") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:46
S67	0	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS same (web \$page or web\$site)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:50
S68	7	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS same (web \$page or web\$site)) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:50
S69	111	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS with message).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:51
S70	15	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS with message same input\$4).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:54
S71	19	((send\$4 or transmit\$4) with (content or media or video or audio) with SMS).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; EPO	OR	ON	2007/09/27 16:08
S72	9	((send\$4 or transmit\$4) with SMS with (pay\$4 or fee)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; EPO	OR	ON	2007/09/27 16:11

S73	3	((("5809415") or ("5911485"))). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:44
S74	2	("6473609").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:54
S75	1697	{shar\$4} near2 page and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:54
S76	353	{shar\$4} adj page and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:54
S77	2	{shar\$4} adj page same mobile and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:55
S78	45	{{(shar\$4} adj page).ab,ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:57
S79	16	{SMS or "short message system") with "user input" same address and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 17:00
S80	312	{SMS or "short message system") with (destination or recipient) with (contact or address) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 17:02
S81	51	{{(SMS or "short message system") with (destination or recipient) with (contact or address)).ab,ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 17:13

S82	0	((SMS or "short message system") with (destination or recipient) with (contact or address) same picture) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 17:14
S83	243	((SMS or "short message system") same picture) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 17:14
S84	4911	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:30
S85	78	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:33
S86	108	((user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4)).ab.ti. and ((mobile near (phone or device)) or PDA or "personal digital assistant") and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:31
S87	0	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same ((mobile near (phone or device)) or PDA or "personal digital assistant") same (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:35
S88	17	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same ((mobile near (phone or device)) or PDA or "personal digital assistant") and (web \$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:48

S89	9	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same ((mobile near (phone or device)) or PDA or "personal digital assistant") same address and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:59
S90	2	("6661784").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:56
S91	2	("6170014").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:56
S92	9	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same ((mobile near (phone or device)) or PDA or "personal digital assistant") same (address or receiver) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:00
S93	153	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) and ((mobile near (phone or device)) or PDA or "personal digital assistant") same (address or receiver) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:00
S94	8	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same option and ((mobile near (phone or device)) or PDA or "personal digital assistant") same (address or receiver) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:02
S95	19	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same option and ((mobile near (phone or device)) or PDA or "personal digital assistant") same (address or receiver) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:03

S96	9	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same ((mobile near (phone or device)) or PDA or "personal digital assistant") same (address or receiver) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 10:03
S97	19	(user or client) with (select\$4) with (content or media or multi \$media or audio or video) with (send\$4 or transmit\$4) same option and ((mobile near (phone or device)) or PDA or "personal digital assistant") same (address or receiver) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:03
S98	18	S97 not S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:15
S99	474	link with option with (send\$4 or transmit\$4) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:15
S100	2	link with option with (send\$4 or transmit\$4) with (web\$page or web\$site) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:16
S101	37	(link with option with (send\$4 or transmit\$4)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:30
S102	3	"HTTP GET" and XML and XHTML and WML and MIDP and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:32
S103	17	XML and XHTML and WML and MIDP and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:43

S104	25950931	charg\$4 with fee same SMS @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:43
S105	49	charg\$4 with fee same SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:43
S106	503	charg\$4 with fee same (SMS or e \$mail) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:44
S107	159	charg\$4 with fee with(SMS or e \$mail) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:44
S108	13	(charg\$4 with fee with(SMS or e \$mail)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 14:44
S109	51	(password) same (HTTP with GET with request\$4) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:13
S110	0	((password) same (HTTP with GET with request\$4)).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:13
S111	5	(password) same (HTTP with GET with request\$4) same mobile and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:24
S112	421	limit\$4 with shar\$4 with content and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:24

S113	0	limit\$4 with shar\$4 with content and recent with receiver with message and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:25
S114	22	limit\$4 with shar\$4 with content and recent\$4 same message and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:27
S115	30	(limit\$4 with shar\$4 with content).ab.ti. and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:38
S116	16	list with recent with(sent\$4 or transmit\$4) with message and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 04:39
S117	35	(server with content with database) same SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 05:03
S118	6	(server with connect\$4 with database with content) same SMS and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 05:04
S119	3	(push near2 proxy) and address and (wireless with broker) and 2ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 05:17
S120	3	(push near2 proxy) and address and (wireless with broker) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 05:18
S121	1	(push near2 proxy) and address and (wireless near2 broker) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 05:18

S122	2	(push near2 proxy) and (wireless near2 broker) and @ad<="20040409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 05:18
S123	494	(link or hyperlink) with (web \$page or web\$site) with (e\$mail or "electronic mail") and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:38
S124	2	(link or hyperlink) near3 option with (web\$page or web\$site) with (e\$mail or "electronic mail") and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:42
S125	1	(link or hyperlink) with (web \$page or web\$site) with (e\$mail or "electronic mail") near3 option and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:43
S126	8	(link or hyperlink) with (web \$page or web\$site) with (e\$mail or "electronic mail") with option and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:44
S127	76	(link or hyperlink) with (e\$mail or "electronic mail") near3 option and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:48
S128	11	(e\$mail or "electronic mail") near3 option near3 friend and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:52
S129	0	(e\$mail or "electronic mail") near3 interest near3 option near3 friend and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:54
S130	0	(e\$mail or "electronic mail") with (web\$site or web\$page) near4 option near3 friend and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:55

S131	0	(e\$mail or "electronic mail") with (web\$site or web\$page) with option with friend and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:55
S132	121	(e\$mail or "electronic mail") with (web\$site or web\$page or link or hyperlink) with friend and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:55
S133	121	S132 not S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:56
S134	735	authoriz\$4 with (user or recipient) with shar\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:41
S135	79	authoriz\$4 with (user or recipient) with content with shar\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:41
S136	24	register\$4 near3 (user or client or recipient) with service same send\$4 near4 message with protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 15:45
S137	34	determin\$4 near3 (user or client or recipient) with service and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 15:48
S138	34	S137 not S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 15:48
S139	651	send\$4 with message with first near4 protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:09

S140	0	send\$4 with message with first near4 protocol same content near3 shar\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:09
S141	6	send\$4 with message with first near4 protocol and content near3 shar\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:10
S142	59379	send\$4 with content near4 shar\$4 message with protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:11
S143	59082	send\$4 near3 content near4 shar\$4 message with protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:12
S144	0	send\$4 near3 content near4 (shar\$4) near3 message with protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:12
S145	1	send\$4 with content near4 (shar\$4) near3 message with protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:12
S146	2583	send\$4 near3 message near3 IP and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:14
S147	13	send\$4 near3 content near3 message near3 IP and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 16:15
S148	1422	(telephone or phone) adj2 number same determin\$4 near4 subscriber and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:13

S149	161998	(telephone or phone) adj2 number with determin\$4 near4 subscriber and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:13
S150	658	(telephone or phone) adj2 number with determin\$4 near4 subscriber and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:13
S151	1	(telephone or phone) adj2 number with determin\$4 near4 subscriber and content near4 shar\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:14
S152	237	(telephone or phone) adj2 number with determin\$4 adj2 subscriber and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:16
S153	24	((telephone or phone) adj2 number with determin\$4 adj2 subscriber).ab.ti. and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:16
S154	158	(enter\$4 or input\$4) adj3 subscriber adj3 (telephone or phone) adj2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:19
S155	237	(enter\$4 or input\$4) adj3 (subscriber or recipient) adj3 (telephone or phone) adj2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:19
S156	80	(enter\$4 or input\$4) adj3 (recipient) adj3 (telephone or phone) adj2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:19
S157	7	((enter\$4 or input\$4) adj3 (recipient) adj3 (telephone or phone) adj2 number).ab.ti. and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:20

S158	854	(media or content) adj2 shar\$4 with determin\$4 (telephone or phone) adj2 number adj3 authoriz\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:22
S159	0	(media or content) adj2 shar\$4 with determin\$4 with (telephone or phone) adj2 number adj3 authoriz\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 13:22
S160	2261	(mobile or telephone) near2 number with (receiver or recipient) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:18
S161	4	(mobile or telephone) near2 number with (receiver or recipient) same (content or media or video or audio) near3 (share or sharing) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:18
S162	89	subscriber near2 (base or basing) near3 (mobile or telephone) near2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:21
S163	0	subscriber near2 (base or basing) near3 (mobile or telephone) near2 number same (content or media or audio or video or data) with (share or sharing) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:21
S164	3	subscriber near2 (base or basing) near3 (mobile or telephone) near2 number and (content or media or audio or video or data) with (share or sharing) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:21
S165	3	subscriber near2 (check\$4) near3 (mobile or telephone) near2 number and (content or media or audio or video or data) with (share or sharing) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:24

Si166	3	subscriber near2 (check\$4) near3 (mobile or telephone) near2 number and (content or media or audio or video or data) with (share or sharing) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 10:24
Si167	1384	(mobile or telephone) near2 number same stream\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 13:39
Si168	513	(mobile or telephone) near2 number with stream\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 13:39
Si169	21	register\$4 with (mobile or telephone) near2 number with stream\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 13:40
Si170	2	determin\$4 near3 subscriber near3 (stream\$4 or content\$4) same (telephone or mobile) adj2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 13:44
Si171	9	determin\$4 near3 subscriber with (stream\$4 or content\$4) same (telephone or mobile) adj2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 13:45
Si172	5620	registration with (telephone or mobile) adj2 number and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 14:51
Si173	9	registration with (telephone or mobile) adj2 number same stream\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 14:51
Si174	353	(user or client) with (send\$4 or transmits\$4) near3 (content or website) near4 (mobile or cell \$phone) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 10:37

S175	236	(mobile or cell\$phone) near3 number same validation and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 10:44
S176	1	(mobile or cell\$phone) near3 number same validation same (content or video or audio or music or link) near3 (shar\$4 or stream\$4) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 10:45
S177	17	(mobile or cell\$phone) near3 number same validation and (content or video or audio or music or link) near3 (shar\$4 or stream\$4) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 10:46
S178	87	(mobile or cell\$phone) near3 number with validation and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 10:48
S179	80	S178 not S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 10:49
S180	28	(mobile or cell\$phone or telephone) near2 number with (authoriz\$4 or validation or validate) with (shar\$4 or access) near3 (video or audio or multi \$media or data or link or URL) and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:05
S181	6	(send\$4 or transmit\$4) near3 message with (authoriz\$4) near3 protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:16
S182	93	generat\$4 near3 first adj2 protocol same second adj2 protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:21
S183	0	generat\$4 near3 first adj2 protocol same second adj2 protocol with authoriz\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:22

S184	0	generat\$4 near3 first adj2 protocol same second adj2 protocol same authoriz\$4 and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:22
S185	11	generat\$4 near3 first adj2 protocol same second adj2 protocol same mobile and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:22
S186	2874	(send\$4 or transmit\$4) with different near3 protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:24
S187	23	(send\$4 or transmit\$4) with different near3 protocol same (authoriz\$4 or access) near3 service and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:25
S188	8	(send\$4 or transmit\$4) with different near3 protocol same (authoriz\$4 or access) near3 service and mobile and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:25
S189	3	("7200680").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/16 11:29
S190	172	(send\$4 or transmit\$4) near2 (base or based on basing) with (authorization or access) with protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:38
S191	67	(send\$4 or transmit\$4) near2 (base or based on basing) with (authorization or access) near3 protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:38
S192	13	(send\$4 or transmit\$4) near2 (base or based on basing) near3 (authorization or access) near3 protocol and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:38

S193	8	(send\$4 or transmit\$4) near2 (based on basing) near3 (authorization or access) near3 protocol and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:39
S194	1381	(authorization or access) near3 (based or basing) near3 protocol and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:40
S195	223	(authorization or access) near3 (based or basing) near3 protocol with (different or multiple or many) and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:40
S196	2874	(send\$4 or transmit\$4) with (another or different) near3 protocol and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:48
S197	930	(send\$4 or transmit\$4) near3 (another or different) near3 protocol and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:50
S198	1	(send\$4 or transmit\$4) near3 SMS near2 instead near3 WAP and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:52
S199	23	(send\$4 or transmit\$4) near3 (another or different) near3 protocol with mobile and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:53
S200	0	(send\$4 or transmit\$4) near3 (another or different) near3 protocol with mobile with capbilit \$4 and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:54
S201	0	(send\$4 or transmit\$4) near3 (another or different) near3 protocol same mobile with capbilit\$4 and (@ad<="20040409" or @riad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 11:54

S202	235	switch near3 protocol same mobile and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:15
S203	4	WAP near2 instead near3 SMS and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:15
S204	7	SMS near2 instead near3 WAP and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:19
S205	6	S204 not S203	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:19
S206	25	WAP with instead with SMS and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:21
S207	24	(non or "not") near3 enab\$4 near3 WAP and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:30
S208	0	(non or "not") near3 enab\$4 near3 WAP with SMS and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:31
S209	4	(non or "not") near3 enab\$4 near3 WAP same SMS and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:31
S210	11	(GSPR or CDMA) near3 instead near2 GSM and (@ad<="20040409" or @rlad<="20040409")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 13:48

EAST Search History (Interference)

<This search history is empty>

9/ 17/ 2009 4:37:18 PM

**C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10821608_sharing_content_mobile.
wsp**